



Rockingham County Registry Of Deeds

EXETER, N.H. 03833

Request for copy of instrument recorded

6/30 189

| GRANTOR | GRANTEE | BOOK | PAGE |
|---------|----------------|------|------|
| PLANS | D-5411 Sheet 1 | | |
| | D-13608 | | |
| | C-13810 | | |
| | C-9970 | | |
| | D-8280 | | |

Total number of pages

5

CERTIFIED

Paid BILL


WILL PICK UP STOCKTON SERVICES

MAIL TO:

Order taken by:

Sent out by:

500



APPROVAL FOR SUBDIVISION

N.H. WATER SUPPLY & POLLUTION CONTROL COMMISSION
P.O. BOX 95 HAZEN DRIVE, CONCORD, NH 03301

APPROVAL NO. 37968

THIS SUBDIVISION IDENTIFIED AS LOT 2A

APPROVED: LOT 2A

OWNED BY:

and located in HAMPTON FALLS

COCH HILL REALT
DRINKWATER ROAD
HAMPTON FALLS, NH 03844

has this date 07/18/89

COPY OF PLAN & APPROVAL SENT TO:

HELATH OFFICER
PO BOX 312
HAMPTON FALLS, NH 03844

been approved in accordance with the re-
quirements of the Water Supply and Pollution
Control Commission as set forth in Chapter
149:E (as inserted by Chapter 147, Laws of
1967) and the rules, regulations, standards
and procedures promulgated thereunder. A
copy of this Plan and Approval is sent to

Planning Board, in HAMPTON FALLS

APPLICANT:

DAVID P. BENANT
DRINKWATER ROAD
HAMPTON FALLS, NH 03844

This approval, based on information submitted
by the subdivider, implies but does not
warrant that soil and other conditions are
generally suitable for sub-surface sewage
disposal systems within this subdivision.

THIS APPROVAL DOES NOT SUPERSEDE LOCAL ORDINANCES OR REGULATIONS

Approved By:


CRAIG NORTHIDGE

Authorized Agent of the New Hampshire Water
Supply and Pollution Control Commission

NOTE: ALL INDIVIDUAL SYSTEMS MUST BE SEPARATELY APPROVED BEFORE CONSTRUCTION
OF THE BUILDING OR THE WASTE DISPOSAL SYSTEM.

NO LIABILITY IS INCURRED BY THE STATE by reason of any approval of subdivision plans or any approval to construct or use a
sewage or waste disposal system. Approval by the New Hampshire Water Supply and Pollution Control Commission of sewage and
waste disposal systems and subdivisions is based on plans and specifications supplied by the applicant. NO GUARANTEE IS
INTENDED OR IMPLIED BY REASON OF ANY ADVICE GIVEN BY THE COMMISSION OR ITS STAFF.

REVISED 7/86

W0052372

APPLICANT'S COPY

APPROVAL FOR CONSTRUCTION

N.H. WATER SUPPLY & POLLUTION CONTROL COMMISSION
P.O. BOX 95 HAZEN DRIVE, CONCORD, NH 03301

THE PLANS AND SPECIFICATIONS FOR SEWAGE OR WASTE DISPOSAL SYSTEM SUBMITTED FOR:

OWNER:

COCH HILL REALT
CURTIS ROAD
HAMPTON FALLS, NH 03844

APPROVAL NO. 175036

Lot Numbers:
Subd. Appl. No. 4-53

Subd. Name: COCH HILL

Type of System: 0000004BR

0000000GPB

Town/City Location:

Street Location: HAMPTON FALLS

HEALTH OFFICER
PO BOX 322
HAMPTON FALLS, NH 03844

BY APPLICANT: PERMIT NO. 0000000000

DAVID P. BENANT
DRINKWATER ROAD
HAMPTON FALLS, NH 03844


Subsurface waste disposal systems must be operated
and maintained in a manner so as to prevent nuisance
or health hazard due to system failure. (RSA 149-E:3-b)

It is unlawful to discharge any hazardous chemicals
or substances into subsurface waste disposal system.
Included are paints, thinners, gasoline and chlorinated
hydrocarbon solvents such as TCE, sometimes used
to clean failed septic systems and auto parts. (WS
410.0B)

ADVISE YOUR CONTRACTOR OF REQUIRED CHANGES
IN PLANS AS INDICATED BY BELOW CONDITIONS

Approved this date: 07/18/89

By:


CRAIG NORTHIDGE

N.H. Water Supply & Pollution Control
Commission Staff

REVISED 7/86

W0052360

APPLICANT'S

Command= 210-

Point#, Start#-End# or G#= 1-100

| Bearing | Distance | Elev | Descrip | Pnt. | Northing | Easting | Type |
|-----------------------------------------------------|----------|------|----------|------|-----------|-----------|------|
| -----08-08-2023-----09:28:24-----D:\BENCH FILES\BM7 | | | | | | | |
| | | | | 1 | 5000.0000 | 5000.0000 | |
| | | | | 2 | 5148.4902 | 4772.6336 | TRA |
| | | | | 3 | 4928.5209 | 4628.8008 | TRA |
| | | | | 4 | 4878.4383 | 4641.4693 | TRA |
| | | | | 5 | 4932.4103 | 4560.0903 | TRA |
| | | | | 6 | 5000.5922 | 4455.6689 | TRA |
| | | | | 7 | 5018.2534 | 4434.4074 | TRA |
| | | | | 8 | 5167.4914 | 4430.8687 | TRA |
| | | | | 9 | 5270.1412 | 4475.4932 | TRA |
| | | | | 10 | 5366.4792 | 4525.0131 | TRA |
| | | | | 11 | 5409.0406 | 4543.6426 | TRA |
| | | | | 12 | 5450.6641 | 4550.7145 | TRA |
| | | | | 13 | 5484.9286 | 4541.2037 | TRA |
| | | | | 14 | 5589.4217 | 4497.7971 | TRA |
| | | | | 15 | 5701.1578 | 4459.9560 | TRA |
| | | | | 16 | 5721.7217 | 4562.4025 | TRA |
| | | | | 17 | 5818.9769 | 4892.8061 | TRA |
| | | | | 18 | 6066.3786 | 5741.2202 | TRA |
| | | | | 19 | 5829.9158 | 5722.2826 | TRA |
| | | | | 20 | 5201.6236 | 5081.1147 | TRA |
| | | | | 21 | 5000.0062 | 5000.0071 | TRA |
| | | | | 22 | 4819.2012 | 4927.2674 | TRA |
| | | | | 23 | 4756.0879 | 4886.7494 | TRA |
| | | | | 24 | 4730.4246 | 4864.6458 | TRA |
| | | | 1SETHUB | 30 | 5206.2005 | 4805.6732 | |
| | | | 2SETHUB | 31 | 4954.9990 | 4638.0194 | TRA |
| | | | FNDIP | 32 | 5018.1258 | 4434.5260 | SS |
| | | | FACEWLL | 33 | 4765.7052 | 4813.7510 | SS |
| | | | FNDDBH | 34 | 4591.9906 | 5072.6433 | SS |
| | | | FACE<WL | 35 | 4872.7021 | 4652.7796 | SS |
| | | | FACECORW | 36 | 4922.5208 | 4575.2546 | SS |
| | | | CORFNDBN | 37 | 4920.5518 | 4682.8164 | SS |
| | | | CORFNDBN | 38 | 4990.3544 | 4729.1515 | SS |
| | | | FNDCBDH | 39 | 5000.0000 | 5000.0000 | SS |
| | | | FNDHUBDS | 40 | 5000.7299 | 4999.5059 | SS |
| | | | FNDIPWTK | 41 | 5366.5682 | 4524.9047 | SS |
| | | | FNDDBH | 42 | 5450.7490 | 4550.5367 | SS |
| | | | FNDIP | 43 | 5270.1139 | 4475.5432 | SS |
| | | | FNDIP | 44 | 5167.4825 | 4430.9180 | SS |

JOB #2 120BENOIT [100]

| Bearing | Distance | Elev | Descrip | Pnt. | Northing | Easting | Type |
|---------|----------|------------|---------|----------|-----------|-----------|--------------------|
| ----- | ----- | 08-08-2023 | ----- | 09:28:24 | ----- | ----- | D:\BENCH FILES\BM7 |
| | | | | 45 | 4947.6798 | 4641.3284 | INT |
| | | | | 46 | 5017.7997 | 4687.1782 | INT |
| | | | | 47 | 4908.1894 | 4633.9437 | INT |
| | | | | 48 | 4945.2600 | 4639.7462 | TRA |
| | | | | 49 | 4961.9992 | 4650.6915 | TRA |
| | | | | 50 | 4978.7384 | 4661.6369 | TRA |
| | | | | 51 | 4995.4775 | 4672.5822 | TRA |
| | | | | 52 | 5012.2167 | 4683.5275 | TRA |
| | | | | 53 | 5028.9559 | 4694.4729 | TRA |
| | | | | 54 | 5045.6950 | 4705.4182 | TRA |
| | | | | 55 | 5062.4342 | 4716.3636 | TRA |
| | | | | 56 | 5079.1733 | 4727.3089 | TRA |
| | | | | 57 | 5095.9125 | 4738.2543 | TRA |
| | | | | 58 | 5112.6517 | 4749.1996 | TRA |

Point#, Start#-End# or G#= 130-
Command= 4-

| | | | | | | |
|---------------------|--------|---------|----|-----------|-----------|-------|
| Point= 43 | 354.54 | FNDIP | 43 | 5270.1139 | 4475.5432 | |
| 299-00-16 | | | | | | |
| Point= 9 | | | | | | |
| 298-59-58 | 354.58 | | 9 | 5270.1412 | 4475.4932 | |
| Point= 2- | | | | | | |
| Command= 159- | | | | | | |
| Setup Point= 30 | | | | | | |
| Backsight Point= 31 | | 1SETHUB | 30 | 5206.2005 | 4805.6732 | OCCSS |
| | | 2SETHUB | 31 | 4954.9990 | 4638.0194 | BS |
| Point= 2 | | | | | | |
| 356-04-19 | 66.50 | SET IP | 2 | 5148.4902 | 4772.6336 | |
| Point= 3 | | | | | | |
| 358-46-35 | 329.23 | | 3 | 4928.5209 | 4628.8008 | |
| Point= 4 | | | | | | |
| 352-53-27 | 366.59 | | 4 | 4878.4383 | 4641.4693 | |
| Point= 48-58 | | | | | | |
| 358-43-55 | 309.23 | | 48 | 4945.2600 | 4639.7462 | |
| Point= 49 | | | | | | |
| 358-40-54 | 289.23 | | 49 | 4961.9992 | 4650.6915 | |
| Point= 50 | | | | | | |
| 358-37-26 | 269.23 | | 50 | 4978.7384 | 4661.6369 | |
| Point= 51 | | | | | | |
| 358-33-24 | 249.23 | SET STK | 51 | 4995.4775 | 4672.5822 | |
| Point= 52 | | | | | | |
| 358-28-41 | 229.24 | | 52 | 5012.2167 | 4683.5275 | |
| Point= 53 | | | | | | |
| 358-23-02 | 209.24 | | 53 | 5028.9559 | 4694.4729 | |
| Point= 54 | | | | | | |
| 358-16-13 | 189.24 | | 54 | 5045.6950 | 4705.4182 | |
| Point= 55 | | | | | | |
| 358-07-47 | 169.25 | | 55 | 5062.4342 | 4716.3636 | |
| Point= 56 | | | | | | |
| 357-57-05 | 149.25 | SET STK | 56 | 5079.1733 | 4727.3089 | |
| Point= 57 | | | | | | |
| 357-43-05 | 129.26 | | 57 | 5095.9125 | 4738.2543 | |
| Point= 58 | | | | | | |
| 357-23-57 | 109.27 | | 58 | 5112.6517 | 4749.1996 | |
| Point= 159- | | | | | | |
| Setup Point= 31 | | | | | | |
| | | 2SETHUB | 31 | 4954.9990 | 4638.0194 | OCC |
| Backsight Point= 30 | | 1SETHUB | 30 | 5206.2005 | 4805.6732 | BS |
| Point= 2 | | | | | | |
| 01-06-26 | 235.71 | | 2 | 5148.4902 | 4772.6336 | |
| Point= 3 | | | | | | |
| 165-28-36 | 28.04 | Set IP | 3 | 4928.5209 | 4628.8008 | |
| Point= 4 | | | | | | |
| 143-42-02 | 76.64 | Set IP | 4 | 4878.4383 | 4641.4693 | |
| Point= 48 | | | | | | |
| 136-13-34 | 9.89 | | 48 | 4945.2600 | 4639.7462 | |
| Point= 59 | | | | | | |
| Unused Point | | | | | | |
| Point= 50 | | | | | | |
| 11-07-59 | 33.49 | | 50 | 4978.7384 | 4661.6369 | |
| Point= 49 | | | | | | |
| 27-21-49 | 14.48 | | 49 | 4961.9992 | 4650.6915 | |
| Point= 51 | | | | | | |
| 06-46-23 | 53.23 | | 51 | 4995.4775 | 4672.5822 | |
| Point= 52 | | | | | | |
| 04-46-39 | 73.11 | | 52 | 5012.2167 | 4683.5275 | |
| Point= 53 | | | | | | |
| 03-38-10 | 93.04 | | 53 | 5028.9559 | 4694.4729 | |
| Point= 54 | | | | | | |
| 02-53-52 | 113.00 | | 54 | 5045.6950 | 4705.4182 | |
| Point= 55 | | | | | | |
| 02-22-51 | 132.97 | | 55 | 5062.4342 | 4716.3636 | |
| Point= 56 | | | | | | |
| 01-59-57 | 152.94 | | 56 | 5079.1733 | 4727.3089 | |
| Point= 57 | | | | | | |
| 01-42-20 | 172.93 | | 57 | 5095.9125 | 4738.2543 | |
| Point= 58 | | | | | | |
| 01-28-22 | 192.91 | | 58 | 5112.6517 | 4749.1996 | |
| Point= 2- | | | | | | |

FOR BENJOIT
TO REPLACE
WITH SB